



# VANITY VENTS™

## Luxury Crawl Space Vent Covers

Save on Energy Bills & Improve  
Curb Appeal



USER GUIDE

## Table of Contents

Table of Contents	2
Welcome	3
VV are the best solution on the market	4
How to Install Vanity Vents	7
Warranty	10
VV Return Policy	11
Contact Us	12



## Welcome

### **Congratulations – Thank you for purchasing Vanity Vents.**

Dear Valued Customers,

Thank you very much for choosing Vanity Vents to decorate your home. Remember we are always here to help you. Simply follow these installation instructions.

It literally takes 3 seconds to install Vanity Vents.

You will notice the improved indoor comfort in your home. Vanity Vents make a difference in the cold of Winter and the Heat of Summer. Enjoy

Your satisfaction is our goal. If you need any assistance or have any questions, please reach us at [info@vanityvents.com](mailto:info@vanityvents.com) or call us at [503-548-7444](tel:503-548-7444).

Thank you for your support,

The Whole Vanity Vent Team!!!

## Vanity Vents are the Best Solution on the Market!

### INSTANT CURB APPEAL

Everyone knows that the three most important things in real estate are location, location, location. But do you know what the fourth most important thing is? It's Curb Appeal!

People will drive by your home like every other home on the block if you don't have curb appeal...

Vanity Vents create instant curb appeal and add that finishing touch!





## **INSULATION**

You don't have to, but you can put Vanity Vents right on top of your dirty Styrofoam vent inserts and get double the layers of insulation. Alternatively, you can use Vanity Vents all by themselves.

You have crawl space vents on all four sides of your home that let cold air in during the winter and hot air during the summer. Vanity Vents not only cover those unsightly vents to beautify your home but it also helps to weatherize your home too by keeping cold air out in the winter and hot air out in the summer.

Our testing indicates that Vanity Vents will keep your crawl space up to 15-20 degrees warmer in the Winter as well as up to 15-20 degrees cooler in the Summer.

Also, the humidity in your crawl space is correspondingly improved by up to 15-20 percent (your results may vary).

## **ULTRA-DURABLE**

Vanity Vents are outside exterior crawl space vent covers that feature high durability and resistance to most damage, dents, scratches and will never rust. It is also resistant to insects, graffiti, mold and bacteria.

Vanity Vents are environmentally stabilized to withstand the harshest weather conditions. Vanity Vents will not warp, rot or delaminate when exposed to humidity or water. Vanity vents material does not break down under exposure to sunlight or extremes of heating or freezing. Individual vents may bow slightly, but this only enhances its ability to do its job.

Remember, an absolute seal is not the goal, it is not necessary for Vanity Vents to be fully effective. Vanity Vents are made from a tough, strong material that's used in a wide variety of applications - to store water, to store food (meets all USFDA requirements), has many commercial applications and comes with a GreenGuard Gold Certification. Vanity Vents materials have a working temperature of -20 degrees to 120 degrees F.



### **NO MAINTENANCE**

Vanity Vents require minimal maintenance. Squirt them with a hose and wipe them with a wet towel or wet brush if you feel they need it. It's extremely easy and there's no need to use heavy-duty harsh chemicals. And they never need refurbishing.

### **ECO-FRIENDLY**

Vanity Vents are made from eco-friendly, post-consumer products that are recyclable at the end of their useful life. They create no harmful emissions during its production or use by its consumer. Also, Vanity Vent materials do not leak toxic chemicals into the soil or water. Manufacturing Vanity Vents require only a fraction of the energy required to produce steel from iron ore, further contribution to its classification of being eco-friendly.

Healthy Building recommends Vanity Vents material as the most environmentally friendly building material of its type. Vanity Vents are made entirely from FDA and USDA approved materials and do not contain BPAs, phthalate, heavy metals or allergen.

Vanity Vents are not recommended for areas that have radon gas issues. Vanity Vents are 100% made in America.

## How to Install Vanity Vents

Installing Vanity Vents literally takes 3 Seconds!

Please read all of these install instructions before you begin...



**Step-1**



**Step-2**



**Step-3**

Absolutely no tools are required to install your new Vanity Vents. Simply align the Vanity Vent with the opening of your foundation vent and insert the Vanity Vent Clip into the elongated hole in the Vanity Vent so that you make sure the clip has grasped the center panel in the foundation vent.




Push the Vanity Vent Clip all the way onto the center panel (long flat side of Clip should be on your left as you insert it). Push it in as far as it would go until it fits snugly in the elongated hole in the Vanity Vent. You should feel a little "snap" into place if the Vanity Vent Clip has been inserted correctly.

It is not necessary for the Vanity Vent to be perfectly flush with the outside of your foundation. However, in some cases, it may be necessary to use your hammer and chisel or at head screwdriver to lightly chip away any excess spillover concrete around the edge of the foundation vent in order to ensure a more flush mount. If you do this, please be careful and wear protective eyewear and gloves.

## IMPORTANT – DID YOU MEASURE YOUR VENTS?

The “inside” opening of your crawl space vent (see images below with dimensions) must be no larger than 7 ¼ inches tall by 15 7/8 inches wide and AND you must have a vertical center panel in the middle of your crawl space vent for Vanity Vents to work. If your INSIDE vent opening is smaller than the dimensions mentioned AND you do have the vertical center panel then you can easily trim Vanity Vents to fit with a typical homeskill saw.

Call us first before you cut. If you have a different size vent opening OR you don’t have the vertical center panel on your existing vent opening then please contact us for a custom order. 100% Satisfaction Guarantee.






## VERY IMPORTANT

You'll notice in the image below that slot in the Vanity Vent is slightly off center. That is done on purpose. Please install your Vanity Vents so that the slot when attached to the vent is both (i) slightly above the vertical center and (ii) slightly right to the horizontal center. (See Image Below).

Also, insert the Vanity Vent Clip with the long flat side on your left (you may want to reference the install images in this manual). Simply insert and push. Once the Vanity Vent Clip has been inserted all the way, you will feel one last little "snap" into place if you have done it right. In rare cases, if needed, give the Vanity Vent Clip a pop with the heel of your hand (if you have delicate hands then please use a rubber mallet or the heel of a tennis shoe). If the clip doesn't seat snugly and hold the vent cover in place, centred on the crawl space vent then the Clip will wiggle around and the clip will not fit snugly. You should feel the clip "snap" into place if you have the vent cover and the clip positioned correctly.

Please be careful and wear protective eye gear when installing your Vanity Vents.



Note: If you live in an area that is identified as having radon gas in the soil, then Vanity Vents are not recommended. You will know if your home is in an area that experiences radon gas as it is required by law to disclose such information upon purchase or sale of a home. Radon is a radioactive gas that forms naturally when uranium, thorium or radium which are radioactive metals break down in rocks, soil and groundwater.

## How do you Clean Vanity Vents?

About 99% of the time a water hose and a soft brush will clean your Vanity Vents just like new.



## Warranty

### LIMITED WARRANTY

If any, failure of any product delivered hereunder to be of the kind designated or specified appears prior to the date which is 60 days from the date of shipment, or prior to the date of use, whichever date occurs sooner, and if the Purchaser shall notify SBCB2 Inc or Vanity Vents thereof immediately, SBCB2 Inc or Vanity Vents shall thereupon, at their option either (1) provide to your door a new replacement Vanity Vent(s) or (2) refund the purchase price. It is understood that any defective product will not be returned until authorized in advance by SBCB2 Inc or Vanity Vents.

SBCB2 Inc or Vanity Vents limit of warranty is money refunded or defective material replaced. All information and data provided at the time of writing is believed to be accurate and complete but provided without any guarantee or responsibility of any kind, expressed or implied.

It is recommended to pre-test all applications. The user must be aware that other safety measures may be required if not stated herein.

### LIMITATION OF LIABILITY

The liability of SBCB2 Inc or Vanity Vents (except as to title) arising from the supply of the product, or its use, whether on warranties, contract, negligence or otherwise, shall not in any case exceed the cost of correcting defects in the product as herein provided, and upon expiration of the applicable warranty period specified herein, all such liability shall terminate.

The foregoing shall constitute the sole and exclusive liability of SBCB2 Inc or Vanity Vents.

In no event shall SBCB2 Inc or Vanity Vents be liable for consequential or special damage. The warranties stated herein are in lieu of all other warranties (except title), written or oral, statutory, expressed or implied, including any warranty of merchantability or fitness for purpose.



## Vanity Vents Refund Policy

### REFUND POLICY

At Vanity Vents we want you to be happy!

We offer 100% Money Back refund policy for 60 days from date of purchase... no questions asked. And we pay for the return shipping if you are one of the very few who return your Vanity Vents.

If you do decide to return your Vanity Vents, please return in the original shipping box with all parts. We will provide you a return shipping label via your email on file.

Once your returned goods are received, we will credit your purchase payment method immediately and you will see your funds in 5-10 days.

You can contact us anytime at [info@vanityvents.com](mailto:info@vanityvents.com) or call [503-548-7444](tel:503-548-7444).

If you have any problems or questions, please let us know and we will be happy to be of service.

THANK YOU,  
Vanity Vents



Vanity Vents is an Eco-friendly company.

Please tell your neighbors and friends about Vanity Vents so that they too can reduce their environmental footprint by saving energy when they heat and cool their homes. Thank you for being a customer and a great human being!

[info@vanityvents.com](mailto:info@vanityvents.com)

503-548-7444

If you have any problems or questions, please let us know and we will be happy to be of service.

[www.vanityvents.com](http://www.vanityvents.com)